

**LEGAL NOTICE**  
**PUBLIC HEARING**

City of Oneida

**PLEASE TAKE NOTICE** that a **PUBLIC HEARING** will be held at 6:30 pm on Tuesday, August 19, 2025, in Common Council Chambers, 109 N. Main Street, Oneida, NY on a proposed Local Law to amend Chapter 190-26.2 E of the Code of the City of Oneida to revise the wind energy regulations.

**PLEASE TAKE FURTHER NOTICE** that the complete text of the Proposed Local Law may be viewed on the City's website [www.oneidacityny.gov](http://www.oneidacityny.gov) under Legal Notices and in the City Clerk's lobby.

**PLEASE TAKE FURTHER NOTICE** that any or all persons opposing said proposed Local Law may file a written notice thereto, with the City Clerk before such hearing or attend said hearing at the time and place specified.

**PLEASE TAKE FURTHER NOTICE** that any persons with special needs should contact the City Clerk one week prior to the hearing.

**SANDRA LAPERA**

CITY CLERK

August 6, 2025

**CITY OF ONEIDA**

**LOCAL LAW 2025**

**A LOCAL LAW AMENDING SECTION 190-26.2(E) OF CHAPTER 190, TITLED "ZONING,"  
OF THE ONEIDA CITY CODE**

Be it enacted by the Common Council of the City of Oneida, as follows:

**Section 1.**

So that Section 190-26.2(E)(1)(a)(9) of the Oneida City Code shall be amended to read, in its entirety, as follows:

- "[9] A geotechnical report shall be furnished which shall, at a minimum, include the following information:
- [a] Soil engineering and engineering geologic characteristics of the site based on soil-site sampling and testing.
  - [b] Foundation design criteria for all proposed structures.
  - [c] Slope stability analysis.
  - [d] Grading criteria for ground preparation, cuts, and fills, and soil compaction.
  - [e] Blasting analysis evaluating site conditions, geological formations, proximity to structures, and environmental sensitivities."

**Section 2.**

So that Section 190-26.2(E)(2)(b) of the Oneida City Code shall be amended to read, in its entirety, as follows:

"b. Maximum overall height. The maximum overall height of any wind energy conversion system shall be 200 feet. The maximum height shall be measured from the ground elevation to the top of the tip of the blade in the vertical position."

**Section 3. Validity and severability.**

If any section or part of this local law is declared invalid or unconstitutional, it shall not be held to invalidate or impair the validity, force or effect of any other section of this local law.

**Section 4. Effective date.**

This local law shall be effective upon filing with the office of the Secretary of State.